

Scrubber driers ride-on

## B 150 R Bp



### Standard accessories:

- Traction drive
- Automatic water stop
- 2-tank system

Order no.: 2.246-001.0



### Technical data

Brush working width (mm)	750
Vacuum working width (mm)	960
Fresh/waste water tank (l)	150/150
Theoretical working capacity (m <sup>2</sup> /h)	5400
Brush speed	-
Brush contact pressure	-
Battery voltage (V)	36
Battery capacity	-
Power rating (W)	up to 2800
Waste container l	-
Weight (kg)	239
Dimensions (L x W x H) (mm)	1660x1400
Sound pressure level	-

## Features & Benefits

Configurable device

Equipment details are freely selectable.

Optimal adjustment of the machine to cleaning requirements.

Efficient, sensible solution.

KIK system

Greater protection against erroneous operation.

Easy adjustment to individual cleaning tasks without demanding too much from the user.

Reduced service costs.

Auto-fill (optional)

Automatic fresh water tank filling.

Connect fresh water hose and filling automatically stops when the tank is full.

Four batteries to choose from

Battery types: maintenance-free with 36 V/180 Ah, low-maintenance with 36 V/180 Ah, maintenance-free with 36 V/240 Ah, low-maintenance with 36 V/240 Ah.

4 batteries to choose from

Battery types: maintenance-free with 36 V/180 Ah, low-maintenance with 36 V/180 Ah, maintenance-free with 36 V/240 Ah, low-maintenance with 36 V/240 Ah.

eco!efficiency mode

40% longer run time per battery charge.

Reduced power consumption.

Even quieter and thus ideal for noise-sensitive areas (daytime cleaning, hospitals, hotels, etc.)

Large colour display

Clear display of the current program.

Simple and quick adjustment of settings.

Tank rinsing system (optional)

Easy cleaning of the dirty water tank.

Water savings of up to 70% in comparison to cleaning with a conventional water hose.

Improved hygiene.

Easy handling

Easier operation and shorter familiarisation times.

Simple handling thanks to clear control elements with colour-coding.

Simple handling thanks to clear control elements with colour-coding.

Easy handling

Easier operation and shorter familiarisation times.

Simple handling thanks to clear control elements with colour-coding.

Simple handling thanks to clear control elements with colour-coding.

---

## Accessories

### Accessories for batteries

#### Box with wall holder

Supply system for charging wet batteries, the batteries can be filled easily, time saving. Mount the box 4 meters high.

**Order no. 2.641-243.0**



#### Box

Supply system for charging wet batteries, the batteries can be filled easily, time saving. Mount the box 4 meters high.


**Order no. 2.641-244.0**



### Batteries


#### Battery set

**Order no. 4.035-988.0**




#### Battery set

**Order no. 4.654-307.0**




#### Battery set

**Order no. 4.654-306.0**



#### Battery set

**Order no. 4.035-987.0**



### Brush heads

#### Brush head R 75

Brush-head with 2 roller brushes and a working width of 75 cm. Brush-change without tools. The side splash guards are adjustable in the height. So the water will be kept under the brush-head. The cleaning solution will be run optimally to the squeegee, also in driving turns. Brush head packed separately.

**Order no. 2.763-006.0**



## Brush heads

### Brush head D 75

Brush-head with 2 disc brushes, brush-quick-change-system and a working width of 75 cm. The side splash guards are adjustable in the height. So the water will be kept under the brush-head. The cleaning solution will be run optimally to the squeegee, also in driving turns. Brush head packed separately.



Order no. 2.763-005.0

### R 90 S brush head

Order no. 2.763-007.0



### D 90 S brush head

Brush head with 2 disc brushes, brush quick changeover system, 90 cm working width and height adjustable side guards.

Order no. 2.763-008.0



## Diamond pads

### Diamond pad, white

Order no. 6.371-252.0



### Diamond pad, white

Order no. 6.371-258.0



### Diamond pad, yellow

Order no. 6.371-253.0



### Diamond pad, yellow

Order no. 6.371-259.0



## Diamond pads

**Diamond pad, green**

Order no. 6.371-236.0



**Diamond pad, green**

Order no. 6.371-239.0



## Disc Brushes for BD

**Disc brush, very soft**

Very soft, for cleaning sensitive surfaces and for polishing. Fits D 75.

Order no. 4.905-019.0



**Polishing brush, soft**

Made of natural fibres, for spray cleaning and for polishing. Fits D 75.

Order no. 4.905-020.0



**Disc brush, medium**

Medium, for all floors. Standard with D 75.

Order no. 4.905-018.0



**Disc brush, hard**

Hard, for heavy soilings and for deep cleaning. For unsensitive floors only. Fits D 75.

Order no. 4.905-021.0



## Disc Brushes for BD

### Disc brush, very soft

Very soft, for cleaning sensitive surfaces and for polishing.

Order no. 4.905-005.0



### Disc brush, soft

Made of natural fibres, for spray cleaning and for polishing.

Order no. 4.905-004.0



### Disc brush, medium, 450 mm

Disc brush, medium-hard, red, 450 mm diameter. For normal use. Also suitable for sensitive floors. Bristles: Polypropylene, 0.6 mm thick, 40 mm long.

Order no. 4.905-003.0



### Disc brush, hard, 450 mm

Disc brush, hard, black, 450 mm diameter. For stubborn dirt and basic cleaning. Only for insensitive floors. Bristles: Grit Tynex 180, 1mm thick, 41 mm long.


Order no. 4.905-006.0



## Home Base accessories

### Manual rinsing system

Order no. 4.035-515.0



## Microfibre pad

### Microfibre pad

5 microfibre pads, white With centre hole, 381 mm diameter. Excellent cleaning power. Also effectively cleans fine stoneware tiles. Suitable for, e.g. D 75, BD 75/140 R and BD 40/25 C.

Order no. 6.371-078.0



## Microfibre pad

### Microfibre pad

Excellent cleaning power. Cleans even pores of fine stoneware tiles.

Order no. 6.369-960.0



## Microfibre shaft

### Microfibre roller

World innovation: application of microfibre rollers combines the excellent cleaning properties of microfibres with the benefits of the roller brush technology.

Combined with roller pad shaft 4.762-434.0. Fits on R 75.

Order no. 4.114-007.0



### Microfibre roller

World innovation: application of microfibre rollers combines the excellent cleaning properties of microfibres with the benefits of the roller brush technology.

Combined with roller pad shaft 4.762-435.0. Fits on R 90.


Order no. 4.114-008.0



## Miscellaneous


### Cover complete

Order no. 4.035-512.0



### Cover tank flushing system complete


Order no. 4.035-513.0



## Other attachment kits

### Flashing beacon

Order no. 4.035-516.0



### Auto-Fill

Order no. 4.035-345.0



## Pad drive board

### Pad driver plate, 375 mm

Pad driver plate for cleaning with pads, 335 mm diameter. With quick-change coupling, hook plate and centre lock. Suitable for, e.g. D 75.

Order no. 4.762-447.0



## Pad drive board

Fits on D 90. For cleaning with pads. With quick-changing coupling and center lock.

Order no. 4.762-493.0



## Pads

### Pad, mean value soft

5 pads, medium-soft, red, 381 mm diameter. For cleaning all floors. Suitable for, e.g. D 75.

Order no. 6.369-791.0



### Pad, medium-hard

5 pads, medium-hard, green, 457 mm diameter. For removing stubborn dirt and basic cleaning. Suitable for, e.g. D 75.

Order no. 6.369-790.0



### Pad, hard

5 pads, hard, black, 381 mm diameter. For removing stubborn dirt and basic cleaning. Suitable for, e.g. D 75.

Order no. 6.369-789.0



### Pad, mean value soft, 457 mm

5 pads, medium-soft, red, 457 mm diameter. For cleaning all floors. Suitable for, e.g. D 90.

Order no. 6.369-024.0



### Pad, medium-hard, 457 mm

5 pads, medium-hard, green, 457 mm diameter. For removing stubborn dirt and basic cleaning. Suitable for, e.g. D 90.

Order no. 6.369-023.0



### Pad, hard, 457 mm

5 pads, hard, black, 457 mm diameter. For removing stubborn dirt and basic cleaning. Suitable for, e.g. D 90.

Order no. 6.369-022.0



## Roller brushes for BR

### Roller brush, soft

Soft, for cleaning sensitive surfaces and for polishing. Fits on R 75.

Order no. 6.906-985.0





## Roller brushes for BR

### Roller brush, medium

Roller brush, medium-hard, red. Length: 638 mm. With wear-resistant star-wheel mechanism. For normal use. Bristles: Polypropylene, 0.5 mm thick, 20 mm long.

**Order no. 6.906-936.0**



### Roller brush, medium

Roller brush, medium-hard, red. Length: 638 mm. With wear-resistant star-wheel mechanism. For normal use. Bristles: Polypropylene, 0.5 mm thick, 20 mm long.

**Order no. 6.907-415.0**



### Roller brush, high-low

Medium hard, for cleaning strong structured floors and deeper joints. Fits R 75.

**Order no. 6.906-986.0**



### Roller brush, hard

Hard, for heavy soilings and for deep cleaning; for unsensitive floors only. Fits to brush head R 75.

**Order no. 6.906-987.0**



### Roller brush, very hard

Very hard, for extremely sticky dirt and for deep cleaning; for unsensitive surfaces only. Fits to brush head R 75.

**Order no. 6.906-988.0**



### Roller brush, soft

Soft, for cleaning sensitive surfaces and for polishing. Fits R 90.

**Order no. 6.906-989.0**



## Roller brushes for BR

### Roller brush, hard

Hard, for heavy soilings and for deep cleaning; for unsensitive floors only. Fits to brush head R 90.

Order no. 6.906-991.0



### Roller brush, very hard

Very hard, for extremely sticky dirt and for deep cleaning; for unsensitive surfaces only. Fits to brush head R 90.

Order no. 6.906-992.0



### Roller brush, high/low

Medium hard, for cleaning strong structured floors and deeper joints. Fits R 90.

Order no. 6.906-990.0



## Roller pad shaft

### Pad roller shaft

fits R 75

Order no. 4.762-434.0



### Roller pad shaft

Order no. 4.762-435.0



## Roller pads

### Roller pad

Roller pads (x20) soft, yellow. For polishing and cleaning non-structured floors. Suitable for use with appropriate pad roller shaft.

Order no. 6.369-454.0



## Roller pads

### Roller pad

Roller pads (x20), medium, red. For cleaning non-structured floors. Suitable for use with appropriate pad roller shaft. About 7 to 7.5 pads are required per 10 cm shaft length.

**Order no. 6.369-456.0**



### Roller pads, hard

Roller pads (x20), hard, green. For removing stubborn dirt and basic cleaning of non-structured floors. Suitable for use with appropriate pad roller shaft.

**Order no. 6.369-455.0**




## Spray extraction mounting kit

### Spray suction attachment kit

Simplifies cleaning areas inaccessible for machines.

**Order no. 2.642-058.0**



## Squeegees for suction bars

### Squeegee blade, oil-resistant, grooved, 960 mm

Squeegee blade kit includes front and rear squeegee blades, 960 mm. Grooved squeegee blades of hard-wearing, oil-resistant, transparent polyurethane. For all standard floors.

**Order no. 6.273-208.0**



### Squeegee blade, oil-resistant, slotted, 960 mm.

Squeegee blade kit includes front and rear squeegee blades, 960 mm. Slotted squeegee blades of hard-wearing, oil-resistant, transparent polyurethane. For sensitive floors.

**Order no. 6.273-205.0**



### Squeegee blade, natural rubber, 960 mm

Squeegee blade kit includes front and rear squeegee blades, 960 mm. Soft natural rubber grooved squeegee blades. For all standard floors.

**Order no. 6.273-214.0**



### Squeegee blade, grooved, oil-resistant

non-streak, oil resistant, brown

**Order no. 6.273-206.0**



## Squeegees for suction bars

### Squeegee blade, oil-resistant, grooved, 1080 mm

Squeegee blade kit includes front and rear squeegee blades, 1080 mm. Grooved squeegee blades of hard-wearing, oil-resistant, transparent polyurethane. For all standard floors.

**Order no. 6.273-209.0**



### Squeegee blade, natural rubber, 1080 mm

Squeegee blade kit includes front and rear squeegee blades, 1080 mm. Soft natural rubber grooved squeegee blades. For all standard floors.

**Order no. 6.273-215.0**



## Suction bar, complete

### Squeegee, straight, 940 mm

Straight squeegee with adjustable support rollers, 940 mm. Oil-resistant, grooved squeegee blades of hard wearing polyurethane for all standard floors. Includes additional weights for uniform contact pressure.

**Order no. 4.777-402.0**



### Squeegee, curved, 940 mm

Curved squeegee with adjustable support rollers, 940 mm. Oil-resistant, grooved squeegee blades of hard wearing polyurethane for all standard floors. Includes additional weights for uniform contact pressure.

**Order no. 4.777-412.0**



### Squeegee, straight, 1060 mm

Straight squeegee with adjustable support rollers, 1060 mm. Oil-resistant, grooved squeegee blades of hard wearing polyurethane for all standard floors. Includes additional weights for uniform contact pressure.

**Order no. 4.777-403.0**



### Squeegee, curved, 1060 mm

Curved squeegee with adjustable support rollers, 1060 mm. Oil-resistant, grooved squeegee blades of hard wearing polyurethane for all standard floors. Includes additional weights for uniform contact pressure.

**Order no. 4.777-413.0**

