

Very compact and light-weight (11 kg) scrubber dryer. An innovative and efficient alternative to manual cleaning of hard floors from 20 to 200 m<sup>2</sup>. The floor is immediately dry after cleaning. It prevents slipping. Perfect for cleaning small shops, restaurants, gas stations, supermarkets, sanitary areas, for hotels or snack-bars. Also usable additionally to bigger scrubber driers for special tasks.

**Standard accessories:**

- Roller brush
- 2-tank system
- Mains operation
- Transport wheels
- 2 squeegees, straight

**Order no.: 1.783-220.0**

**Technical data**

Brush working width (mm)	300
Vacuum working width (mm)	300
Power rating (W)	820
Battery capacity	-
Battery voltage	-
Fresh/waste water tank (l)	4/4
Brush contact pressure g/cm <sup>2</sup>	100
Brush speed rpm	1450
Max. area performance (m <sup>2</sup> /h)	200
Frequency (Hz)	50-60
Voltage V	230
Weight (kg)	11.5
Dimensions (L x W x H) (mm)	390x335x1180

## Details

### Description

Due to the upright design, the machine is manouvrable like an upright-vacuum. Compared to a mop it has much more cleaning effort due to 10-times more contact pressure to the floor. This with a brush which spins with 1500 rpm.

The machine is drying forward and backwards.

For very sticky dirt, the squeegees can be lifted up by a foot pedal. The chemical can react more time. Cleaning is also possible under furitures or other objects due to the very low brush head.

---

### Features & Benefits

High-speed roller brush

Roller assists forward movement for easy cleaning.

The roller brush also cleans structured surfaces and joints.

Ten times higher contact pressure than manual cleaning.

The roller brush also cleans structured surfaces and joints.

Ten times higher contact pressure than manual cleaning.

The roller creates an automatic forwards motion, meaning that the device does not need to be pushed.

High-speed roller brush

Roller assists forward movement for easy cleaning.

The roller brush also cleans structured surfaces and joints.

Ten times higher contact pressure than manual cleaning.

The roller brush also cleans structured surfaces and joints.

Ten times higher contact pressure than manual cleaning.

The roller creates an automatic forwards motion, meaning that the device does not need to be pushed.

Immediately dry

For intensive cleaning, the suction can be switched off via the foot pedal.

The floor can be used immediately after cleaning.

The soft rubber squeegees remove moisture - backwards and forwards.

The soft rubber squeegees remove moisture – backwards and forwards.

The floor can be walked on again immediately.

For intensive cleaning, the suction can also be deactivated using the foot pedal.

Immediately dry

For intensive cleaning, the suction can be switched off via the foot pedal.

The floor can be used immediately after cleaning.

The soft rubber squeegees remove moisture - backwards and forwards.

The soft rubber squeegees remove moisture – backwards and forwards.

The floor can be walked on again immediately.

For intensive cleaning, the suction can also be deactivated using the foot pedal.

Vacuum off facility

Detergent can be applied and then vacuumed for deeper cleaning.

Vacuum can be switched off by foot pedal.

The suction can be deactivated using the foot pedal.

For a thorough cleaning, the cleaning fleet can be spread out first, and then suctioned off separately.

Vacuum off facility

Detergent can be applied and then vacuumed for deeper cleaning.

Vacuum can be switched off by foot pedal.

The suction can be deactivated using the foot pedal.

For a thorough cleaning, the cleaning fleet can be spread out first, and then suctioned off separately.

Tanks are removable

Tanks can be removed separately or together. Including handle for easy transport.

The dirty water tank can be removed separately and emptied into a sink, for example.

The handy fresh water tank can be removed and filled in small sinks.

The handy fresh water tank can be removed separately and can also be filled in small sinks.

The wastewater tank can be removed separately and can be emptied into the sink, for example.

The tanks can be removed separately or together. Includes a handle for easy transport.

Tanks are removable

Tanks can be removed separately or together. Including handle for easy transport.

The dirty water tank can be removed separately and emptied into a sink, for example.

The handy fresh water tank can be removed and filled in small sinks.

The handy fresh water tank can be removed separately and can also be filled in small sinks.

The wastewater tank can be removed separately and can be emptied into the sink, for example.

The tanks can be removed separately or together. Includes a handle for easy transport.

---

## Accessories

### Carpet Kits

#### Carpet cleaning kit

Order no. 2.783-005.0



### Microfibre shaft

#### Microfibre roller

World first: Microfibre roller, length 300 mm. Combines the excellent cleaning power of microfibres with the advantages of roller technology. Ideal for cleaning fine stoneware tiles.

Order no. 4.762-453.0



### Miscellaneous

#### Filling hose

1,500-mm filling hose for easy device filling from a water tap. With universal tapered fitting for all standard taps.

Order no. 6.680-124.0



#### Pump spray bottle 1 l

Order no. 6.394-409.0



#### DS 3 cleaning agent dosing station

Directly connectable with the tab, water and detergent will be filled in the fresh water tank in the preset mixture. Can also be used with filling system kit.

Order no. 2.641-811.0



#### Extension cable

Extension cable, 20 m, 3x1.5 mm<sup>2</sup>. With splash-proof earthing pin plug, strain relief and anti-kink sleeve.

Order no. 6.647-022.0



### Roller brushes for BR

#### Roller brush, medium-hard

Roller brush, medium-hard, red. Length: 300 mm. With wear-resistant star-wheel mechanism. For normal use. Bristles: Polypropylene, 0.2 mm thick, 11.5 mm long.

Order no. 4.762-428.0



## Roller brushes for BR

### Roller brush, medium

Roller brush, medium-hard, red. Length: 300 mm. With wear-resistant star-wheel mechanism. For normal use. Bristles: Polypropylene, 0.2 mm thick, 11.5 mm long.

**Order no. 4.762-005.0**



### Roller brush, soft

Roller brush, soft, white. Length: 300 mm. With wear-resistant star-wheel mechanism. For cleaning sensitive floors and polishing. Bristles: Polyamide, 0.15 mm thick, 11.5 mm long.

**Order no. 4.762-452.0**



### Roller brush, carpet, soft

For carpet cleaning.

**Order no. 4.762-499.0**



### Roller brush, high/low

Medium hard, for cleaning strong structured floors and deeper joints.

**Order no. 4.762-484.0**



## Suction bar, complete

### Squeegee, standard

**Order no. 4.777-420.0**



### Squeegee, oil-resistant

Straight squeegee, oil-resistant, 300 mm. For cleaning, kitchens, workshops, restaurants, petrol filling stations, etc.

**Order no. 4.777-324.0**

