

### **B 80 W BP DOSE**

Battery powered walk-behind scrubber driers in the 80 litre class with traction drive. Ideal for areas between 1500 to 3000 m<sup>2</sup>. With innovative KIK system and roller or disc brush head.













Order No.

Technical data		
EAN code		4039784590120
Brush working width	Millimetre	650
Vacuum working width	Millimetre	850
Fresh/dirty water tank	Litre	80 / 80
Battery	Volt	24
Rated input power	Watt	up to 2200
Weight without accessories	Kilogram	90
Dimensions (L × W × H)	Millimetre	1389 × 613 × 1155

Users must receive training on this device.

Equipment	
DOSE	
Traction drive	<b>I</b>
Two-tank system	
Included in delivery.	

B 80 W Bp Dose, 2.259-002.0, 2025-06-08

#### KARCHER



#### **Fully automatic**

• Automatic lifting/lowering of the brush head and vacuum bar.

#### Four batteries to choose from

- Battery types: maintenance-free 170 Ah (C5) with fleece technology, maintenance-free 180 Ah (C5), low-maintenance 180 Ah (C5) or maintenance-free 240 Ah (C5).
- The built-in charger can be adjusted to the various battery types.

#### **EASY Operation selector switch**

- Simple to use.
- The basic functions are controlled with the EASY switch.





























		1		_
		Order No.	Description	
OTHER ACCESSORIES FOR BR / BD				
Miscellaneous				
Cover tank flushing system complete	1	4.035-369.0	For machines in the B 40 range with tank cleaning system: tool-free exchangeable dirty water tank cover with integrated spray nozzles.	
KIK key, yellow	2	5.035-344.0	User key for using the appliance	
KIK key, grey	3	5.035-348.0	Supervisor key for using the appliance	
Cover without tank flushing system complete	4	4.035-334.0	Tool-free exchangeable dirty water tank cover for machines in B 40 range without tank cleaning system.	
Filling hose	5	6.680-124.0	1,500-mm filling hose for easy device filling from a water tap. With universal tapered fitting for all standard taps.	
KIK key, yellow (5x)	6	4.035-408.0	Key for operators. Cannot be adjusted.	
Home Base accessories		<b>'</b>		
Adapter Homebase	7	5.035-488.0	Fastener for various hooks and clips on the machine.	
Homebase mop holder kit	8	4.035-374.0	The Homebase Mop kit contains mop clip, mop support and bottle holder – the perfect solution for securely carrying the mop directly on the scrubber drier.	
Double hook	9	6.980-077.0	Double hook for attaching rubbish bags, etc. to the machine. Only for use with the Homebase adapter 5.035-488.0.	
Holder handhold grey	10	6.980-078.0	Mop clip for attaching a mop to the machine. Only for use with the Homebase adapter 5.035-488.0.	. 🗆
Holder bottle	11	6.980-080.0	Suitable for transporting spray bottles - only in conjunction with Home Base adapter 5.035-488.0.	
Homebase box kit	12	4.035-406.0	The Box kit provides enough space for three cleaning agent bottles along with cloths, scrapers, spare rubbish bags, gloves, etc.	
Universal hook kit	13	4.070-075.0	Hook and adaptor kit for attachment to the Home Base rail scrubber drier by Kärcher. Ideal for space-saving storage of hoses (for example, spray suction attachment kit) on the machine.	
RM Dosierstation				
DS 3 cleaning agent dosing station	14	2.641-811.0	Directly connectable with the tab, water and detergent will be filled in the fresh water tank in the preset mixture. Can also be used with filling system kit.	

 $<sup>\</sup>blacksquare$  Included in delivery.  $\qed$  Available accessories.

























				_
		Order No.	Description	
KITS				
Other attachment kits				
Auto-Fill	15	4.035-345.0	Automatic filling system. Water supply automatically stops when the tanks is full. With safety overflow.	
Suction hose accessories	16	4.444-015.0	For vacuuming water out of corners or containers (e.g. freezers).	
Set deflector roll stack formation SB	17	4.035-619.0	Additional, non-marking bumper rollers for assembly at the ends of the squeegee. Effectively prevent the squeegee from hooking onto pallets or shelf feet.	
Fleet mounting kit		<u> </u>		
Add-on kit	18	2.644-391.0		
Spray extraction mounting kit				
Spray suction kit	19	2.642-740.0	Simplifies cleaning areas inaccessible for machines.	
ROLLER BRUSHES FOR BR				
Roller brush red for replacement - R75, medium, red, 700 Millimetre	20	4.035-578.0	Red standard roller brush for maintenance cleaning.	
Roller brush white - R75, soft, white, 700 Millimetre	21	6.907-729.0	White roller brush for cleaning sensitive floor coverings.	
Roller brush orange - R75, high / low, orange, 700 Millimetre	22	6.907-730.0	Orange roller brush with high-low structure for particularly effective cleaning of textured floor coverings.	
Roller brush green - R75, hard, green, 700 Millimetre	23	6.907-731.0	Green, abrasive roller brush for deep cleaning and removal of sticky dirt.	
Roller brush black – R75, very hard, black, 700 Millimetre	24	6.907-732.0	Black, very abrasive roller brush for the deep cleaning of hard-wearing floor coverings with very sticky dirt.	
Roller brush, soft, white, 638 Millimetre	25	6.906-981.0	Roller brush, very soft, white. Length: 638 mm.With wear-resistant star-wheel mechanism. For cleaning sensitive floors and polishing. Bristles: Polyamide, 0.3 mm thick, 20 mm long.	
Roller brush red for replacement BR65, medium, red, 638 Millimetre	26	4.035-187.0	Roller brush, medium-hard, red. Length: 638 mm.With wear-resistant star-wheel mechanism. For normal use. Bristles: Polypropylene, 0.5 mm thick, 20 mm long.	
Roller brush, high / low, orange, 638 Millimetre	27	6.906-982.0	Roller brush, high/low, medium-hard, orange. Length: 638 mm.With wear-resistant star-wheel mechanism. For cleaning heavily structured floors and deep crevices. Bristles: Polyamide, 0.6 mm thick, 15-20 mm long.	
Roller brush, hard, green, 638 Millimetre	28	6.906-983.0	Roller brush, hard, green. Length: 638 mm.Wear-resistant star-wheel mechanism. For heavily soiled floors and basic cleaning. Bristles: Polyamide with silicon carbide, 0.6 mm thick, 20 mm long.	

lacksquare Included in delivery.  $\Box$  Available accessories.























				_
		Order No.	Description	$\perp$
ROLLER BRUSHES FOR BR	1			
Roller brush, very hard, black, 638 Millimetre	29	6.906-984.0	Very hard, for extremely sticky dirt and for deep cleaning; for unsensitive surfaces only. Fits R 65.	
DISC BRUSHES FOR BD				
Disc brush, very soft, white, 385 Millimetre	30	4.905-019.0	Very soft, for cleaning sensitive surfaces and for polishing. Fits D 75.	
Disc brush, soft, natural, 385 Millimetre	31	4.905-020.0	Made of natural fibres, for spray cleaning and for polishing.	
Disc brush, medium, red, 385 Millimetre	32	4.905-018.0	Medium-hard disc brush (385 mm) in red version for all conventional cleaning applications. Also suitable for sensitive floors.	
Disc brush, hard, black, 385 Millimetre	33	4.905-021.0	Disc brush, hard, black, 385 mm diameter. For stubborn dirt and basic cleaning. Only for insenstive floors. Bristles: Grit Tynex 180, 1mm thick, 41 mm long.	
Disc brush, very soft, white, 355 Millimetre	34	4.905-011.0	Disc brush, very soft, white, 355 mm diameter. For cleaning sensitive floors and polishing. Fits brush head D 65. Bristle length: 41 cm.	
Disc brush, soft, natural, 355 Millimetre	35	4.905-012.0	Made of natural fibres, for spray cleaning and for polishing. Fits D 65.	
Disc brush, medium, red, 355 Millimetre	36	4.905-010.0	Disc brush, medium-hard, red, 355 mm diameter. For normal use. Also suitable for sensitive floors. Standard brush head D 65.	
Disc brush, hard, black, 355 Millimetre	37	4.905-013.0	Disc brush, hard, black, 355 mm diameter. For stubborn dirt and basic cleaning. Only for insenstive floors. Bristles: Grit Tynex 180, 1mm thick, 41 mm long.	
BRUSH HEADS		<u>'</u>		
Brush-head R 75	38	2.763-006.0	Brush-head with 2 roller brushes and a working width of 75 cm. Brush-change without tools. The side splash guards are adjustable in the height. So the water will be kept under the brush-head. The cleaning solution will be run optimally to the squeegee, also in driving turns. Brush head packed separately.	
Brush-head R 65	39	2.763-004.0	Brush-head with 2 roller brushes and a working width of 65 cm. Brush-change without tools. The side splash guards are adjustable in the height. So the water will be kept under the brush-head. The cleaning solution will be run optimally to the squeegee, also in driving turns. Brush head is packed separately.	
Brush-head D 75	40	2.763-005.0	Brush-head with 2 disc brushes, brush-quick-change-system and a working width of 75 cm. The side splash guards are adjustable in the height. So the water will be kept under the brush-head. The cleaning solution will be run optimally to the squeegee, also in driving turns. Brush head packed separately.	
Brush-head D 65	41	2.763-003.0	Brush-head with 2 disc brushes, brush-quick-change-system and a working width of 65 cm. The side splash guards are adjustable in the height. So the water will be kept under the brush-head. The cleaning solution will be run optimally to the squeegee, also in driving turns. Brush head packed separately.	2
Brush-head S 65	42	2.763-030.0	Floor head with cleaning pad for restoring shine on hard and resilient floors. Constant contact pressure on the entire pad surface. Also cleans edges and in corners.	

lacksquare Included in delivery.  $\Box$  Available accessories.

























				_
		Order No.	Description	1
BRUSH HEADS	1			Ļ
Brush head D 65 R	43	2.763-039.0	Brush head with disc engineering. Ideal for use in supermarkets, for example. Very low deck. Height-adjustable bumper disc. Surrounding splash guard.	
Connection kit B 60 W/B 80 W	44	4.036-063.0	Connection kit for connecting the S 65 floor head to the new generation of B 60 W and B 80 W.	[
ROLLER PADS / ROLLER PAD SHAFT				
Roller pad shaft				
Roll pad - R75, 700 Millimetre	45	4.762-627.0	Aluminium pad roller shaft suitable for holding roller pads or microfibre rollers.	
Pad roller shaft, 638 Millimetre	46	4.762-433.0	Roller pad shaft, aluminium For roller pads or microfibre rollers, length 638 mm. Fits brush head R 56.	
Roller pads				
Roller pad, medium, red	47	6.369-456.0	Roller pads (x20), medium, red. For cleaning non-structured floors. Suitable for use with appropriate pad roller shaft. About 7 to 7.5 pads are required per 10 cm shaft length.	[
Roller pad, hard, green	48	6.369-455.0	Roller pads (x20), hard, green. For removing stubborn dirt and basic cleaning of non-structured floors. Suitable for use with appropriate pad roller shaft.	[
Microfibre shaft				
Microfibre roller, 700 Millimetre	49	4.114-007.0	World innovation: application of microfibre rollers combines the excellent cleaning properties of microfibres with the benefits of the roller brush technology. Combined with roller pad shaft 4.762-434.0. Fits on R 75.	
Microfibre roller, 638 Millimetre	50	4.114-006.0	World innovation: application of microfibre rollers combines the excellent cleaning properties of microfibres with the benefits of the roller brush technology. Combined with roller pad shaft 4.762-433.0. Fits on R 65.	
DISC PADS / PAD DRIVE BOARDS				
Microfibre pad				
Microfibre pad, white, 381 Millimetre, 5 Unit	51	6.371-078.0	5 microfibre pads, white With centre hole, 381 mm diameter. Excellent cleaning power. Also effectively cleans fine stoneware tiles. Suitable for, e.g. D 75, BD 75/140 R and BD 40/25 C.	
Microfibre pad, white, 356 Millimetre, 5 Unit	52	6.369-959.0	5 microfibre pads, white With centre hole, 356 mm diameter. Excellent cleaning power. Also	
	53	6.905-060.0	effectively cleans fine stoneware tiles. Suitable for, e.g. D 65.	[
Pads		<b>'</b>		
Pad, medium-soft, red, 650 Millimetre, 5 Unit	54	6.371-000.0	Medium-hard pad (650 $\times$ 300 mm) in red version for cleaning all floors in combination with the S 65 head.	
Pad, medium-soft, red, 381 Millimetre, 5 Unit	55	6.369-791.0	5 pads, medium-soft, red, 381 mm diameter. For cleaning all floors. Suitable for, e.g. D 75.	
Pad, medium-hard, green, 381 Millimetre, 5 Unit	56	6.369-790.0	5 pads, medium-hard, green, 457 mm diameter. For removing stubborn dirt and basic cleaning. Suitable for, e.g. D 75.	

<sup>☐</sup> Available accessories.

#### **KARCHER**







55, 58



56, 59













				_
		Order No.	Description	
DISC PADS / PAD DRIVE BOARDS				
Pads				
Pad, hard, black, 381 Millimetre, 5 Unit	57	6.369-789.0	5 pads, hard, black, 381 mm diameter. For removing stubborn dirt and basic cleaning. Suitable for, e.g. D 75.	
Pad, medium-soft, red, 356 Millimetre, 5 Unit	58	6.369-003.0	5 pads, medium-soft, red, 356 mm diameter. For cleaning all floors. Suitable for, e.g. D 65.	
Pad, medium-hard, green, 356 Millimetre, 5 Unit	59	6.369-002.0	5 pads, medium-hard, green. 356 mm diameter. For removing stubborn dirt and basic cleaning. Suitable for, e.g. D 65.	
Pad, hard, black, 356 Millimetre, 5 Unit	60	6.369-001.0	5 pads, hard, black, 356 mm diameter. For removing stubborn dirt and basic cleaning. Suitable for, e.g. D 65.	
Pad drive board				Ė
Pad drive board, 375 Millimetre	61	4.762-447.0	Pad driver plate for cleaning with pads, 375 mm diameter. With quick-change coupling, hook plate and centre lock. Suitable for, e.g. D 75.	
Pad drive board, 335 Millimetre	62	4.762-446.0	Pad driver plate for cleaning with pads, 335 mm diameter. With quick-change coupling, hook plate and centre lock. Suitable for, e.g. D 65.	
Diamond pads	•	•		İ
Diamond pad, coarse, white, 385 Millimetre, 5 Unit	63	6.371-252.0	For coarse cleaning/restoring. Removes small scratches, for a clean, silky matt surface. For surface preparation prior to using the yellow pad. Also suitable as a crystallisation pad for basic crystallisation.	
Diamond pad, medium, yellow, 385 Millimetre, 5 Unit	64	6.371-253.0	For coarse cleaning/restoring. Removes fine scratches for a more homogeneous and shinier surface For surface preparation prior to using the green diamond pad. Also suitable as a crystallisation pad for high-gloss crystallisation.	- 1
Diamond pad, fine, green, 385 Millimetre, 5 Unit	65	6.371-236.0	For effortless polishing of laminated floors, terrazzo and natural stone surfaces. For maintenance cleaning after using white and yellow pads. As a crystallisation pad for high-gloss crystallisation.	
Diamond pad, coarse, white, 356 Millimetre, 5 Unit	66	6.371-250.0	For coarse cleaning/restoring. Removes small scratches, for a clean, silky matt surface. For surface preparation prior to using the yellow pad. Also suitable as a crystallisation pad for basic crystallisation.	
Diamond pad, medium, yellow, 356 Millimetre, 5 Unit	67	6.371-251.0	For coarse cleaning/restoring. Removes fine scratches for a more homogeneous and shinier surface For surface preparation prior to using the green diamond pad. Also suitable as a crystallisation pad for high-gloss crystallisation.	
Diamond pad, fine, green, 356 Millimetre, 5 Unit	68	6.371-235.0	For effortless polishing of laminated floors, terrazzo and natural stone surfaces. For maintenance cleaning after using white and yellow pads. As a crystallisation pad for high-gloss crystallisation.	
SUCTION BARS AND SQUEEGEES				j
Suction bar, complete				Ī
Squeegee, 940 Millimetre, straight	69	4.777-402.0	Straight squeegee with adjustable support rollers, 940 mm. Oil-resistant, grooved squeegee blades of hard wearing polyurethane for all standard floors. Includes additional weights for uniform contact pressure.	
Squeegee, 1000 Millimetre, V-shaped	70	4.777-080.0	Suitable for all conventional floors and with very good gliding properties on crevices: V-shaped squeegee with length of 1,000 mm and suction lips made from wear-resistant polyurethane with a long lifetime.	Ī

 $<sup>\</sup>hfill\square$  Available accessories.



















			_
	Order No.	Description	
71	4.777-401.0	Straight, with support rollers. Squeegee blades of oil-resistant, transparent polyurethane.	
72	4.777-079.0	900 mm long, V-shaped squeegee with suction lips made from wear- and oil-resistant polyurethane with a long lifetime and for all floors. With spirit level for precise adjustment.	⊇ [
_			
73	6.273-024.0	Designed for our 1,000 mm-long, V-shaped squeegees, this fluted suction lip set impresses on all floors. High-quality, oil-resistant design made from durable polyurethane.	
74	6.273-023.0	Suction lip set, fluted and developed for V-shaped squeegees with length of 900 mm. The suction lips are made of wear- and oil-resistant polyurethane and are suitable for all floors.	
75	6.273-208.0	Squeegee blade kit includes front and rear squeegee blades, 960 mm. Grooved squeegee blades of hard-wearing, oil-resistant, transparent polyurethane. For all standard floors.	
76	6.273-205.0	Squeegee blade kit includes front and rear squeegee blades, 960 mm. Slotted squeegee blades of hard-wearing, oil-resistant, transparent polyurethane. For sensitive floors.	
77	6.273-291.0	Closed, oil-resistant, for structured floors.	
78	6.273-214.0	Squeegee blade kit includes front and rear squeegee blades, 960 mm. Soft natural rubber grooved squeegee blades. For all standard floors.	
79	6.273-207.0	Squeegee blade kit includes front and rear squeegee blades, 890 mm. Grooved squeegee blades of hard-wearing, oil-resistant, transparent polyurethane. For all standard floors.	
80	6.273-229.0	Squeegee blade kit includes front and rear squeegee blades, 890 mm. Slotted squeegee blades of hard-wearing, oil-resistant, transparent polyurethane. For sensitive floors.	
81	6.273-290.0	Suction lip set, consisting of front and rear suction lip. 890 mm long. In an enclosed design made from wear-resistant, oil-resistant and transparent polyurethane. For textured floors.	
82	6.273-213.0	Squeegee blade kit includes front and rear squeegee blades, 890 mm. Soft natural rubber grooved squeegee blades. For all standard floors.	
83	2.815-102.0	Battery kit with 24 V voltage and 240 Ah (C5) capacity. Comprising several maintenance-free single gel batteries.	e [
84	2.815-101.0	Battery kit with 24 V voltage and 180 Ah (C5) capacity. Comprising several maintenance-free single gel batteries.	e [
	72 73 74 75 76 77 78 79 80 81 82	71   4.777-401.0 72   4.777-079.0 73   6.273-024.0 74   6.273-023.0 75   6.273-208.0 76   6.273-205.0 77   6.273-291.0 78   6.273-214.0 79   6.273-207.0 80   6.273-229.0 81   6.273-290.0 82   6.273-213.0	71 4.777-401.0 Straight, with support rollers. Squeegee blades of oil-resistant, transparent polyurethane. 72 4.777-079.0 900 mm long, V-shaped squeegee with suction lips made from wear- and oil-resistant polyurethane with a long lifetime and for all floors. With spirit level for precise adjustment.  73 6.273-024.0 Designed for our 1,000 mm-long, V-shaped squeegees, this fluted suction lip set impresses on all floors. High-quality, oil-resistant design made from durable polyurethane.  74 6.273-023.0 Suction lip set, fluted and developed for V-shaped squeegees with length of 900 mm. The suction lips are made of wear- and oil-resistant polyurethane and are suitable for all floors.  75 6.273-208.0 Squeegee blade kit includes front and rear squeegee blades, 960 mm. Grooved squeegee blades of hard-wearing, oil-resistant, transparent polyurethane. For all standard floors.  76 6.273-205.0 Squeegee blade kit includes front and rear squeegee blades, 960 mm. Slotted squeegee blades of hard-wearing, oil-resistant, transparent polyurethane. For sensitive floors.  77 6.273-291.0 Closed, oil-resistant, for structured floors.  78 6.273-214.0 Squeegee blade kit includes front and rear squeegee blades, 960 mm. Soft natural rubber grooved squeegee blades. For all standard floors.  80 6.273-229.0 Squeegee blade kit includes front and rear squeegee blades, 890 mm. Grooved squeegee blades of hard-wearing, oil-resistant, transparent polyurethane. For all standard floors.  81 6.273-290.0 Squeegee blade kit includes front and rear squeegee blades, 890 mm. Slotted squeegee blades of hard-wearing, oil-resistant, transparent polyurethane. For sensitive floors.  82 6.273-213.0 Squeegee blade kit includes front and rear squeegee blades, 890 mm. Slotted squeegee blades of hard-wearing, oil-resistant, ransparent polyurethane. For textured floors.  83 2.815-102.0 Battery kit with 24 V voltage and 240 Ah (C5) capacity. Comprising several maintenance-free single gel batteries.

<sup>☐</sup> Available accessories.















		Order No.	Description
TRACTION BATTERIES AND CHARGERS	<u>'</u>		
Batteries			
Battery kit AGM 4x 6V/285Ah, 24 Volt, 285 Ampere-hour, maintenance-free	85	2.815-095.0	Battery kit with 24 V voltage and 285 Ah (C5) capacity. Comprising several maintenance-free single AGM batteries.
Battery kit AGM 4x 6V/170Ah, 24 Volt, 170 Ampere-hour, maintenance-free	86	2.815-092.0	Battery kit with 24 V voltage and 170 Ah (C5) capacity. Comprising several maintenance-free single AGM batteries.
Accessories for batteries			
Mounting kit battery kit	87	2.638-064.0	Installation kit for installing battery kit in a machine. Incl. 2 brackets and 3 connection cables.
	88	2.638-106.0	Installation kit for installing battery kit in a machine. Incl. 3 connection cables.
SPRAY UNITS			
Pump spray bottle 1 l	89	6.394-409.0	1-litre pump spray bottle – including pump and pressure tank – easy, uniform spraying for cleaning or crystallising.
SPRAY EXTRACTION CLEANERS			
Sonstiges			
Cleaning agent container, complete	90	4.070-006.0	Kit consisting of cleaning agent container and Home Base adapter. For connecting Home Base rail.

<sup>☐</sup> Available accessories.