

KM 150/500 R D CLASSIC

KM 150/500 R D Classic ride-on industrial sweeper with a max. area performance of 18,000 m²/h.



Order No. 1.186-134.0

- High working and transport speed
- Simple operation via control lever
- Pocket filter with large filter area

Technical data

EAN code		4054278047874
Drive type		Diesel
Traction drive		Four-stroke engine
Engine manufacturer		Yanmar
Drive power	Kilowatt	15.8
Max. area performance	Square metres per hour	18000
Working width	Millimetre	1200
Working width with 1 side brush	Millimetre	1500
Working width with 2 side brushes	Millimetre	1800
Container	Litre	500
Climbing capacity	Percent	18
Working speed	Kilometres per hour	12
Filter area	Square metre	10.5
Weight (with accessories)	Kilogram	1400
Dimensions (L × W × H)	Millimetre	2442 × 1570 × 1640

Equipment

pocket filter	■
Manual filter cleaning system	■
Adjustable main roller brush	■
Power steering	■
Dustpan principle	■
Forward drive	■
Reverse traction drive	■
Vacuum	■
Hydr. container lift	■
Outdoor use	■
Operating hour counter	■
Sweeping function, selectable	■
Wheels, solid rubber	■

■ Included in delivery.

Users must receive training on this device.



Hydraulic rear-wheel drive with solid rubber tyres

- Good manoeuvrability and control even in tight spaces.
- Works even on sharp surfaces without causing tyre punctures.



Large-area pocket filter with vibration motor

- Large filter area for dust-free vacuuming.
- Cleaning by means of vibration motor.



Robust steel chassis with multiple corrosion protection

- Can be used under tough working conditions.
- Durable machine and components.

EQUIPMENT FOR KM 150/500 R D CLASSIC

1.186-134.0



		Order No.	Description	
FILTERS				
pocket filter				
Pocket filter white	1	6.988-490.0	Pocket filter for KM 150/500 R D Classic vacuum sweeper with dimensions of 1100 × 500 × 320 mm. Ideal for very fine dusts and large quantities of dirt thanks to 10.5 m ² filter area.	■
Pocket filter green	2	6.988-704.0	Developed for use in very dusty settings: Pocket filter, water resistant, large filter area (10.5 m ²) for large areas of fine dusts. Dimensions 1100 × 500 × 320 mm; for KM 150/500 R D Classic.	□
MAIN ROLLER BRUSHES				
Standard main roller brushes				
Standard roller brush	3	6.987-085.0	Tough standard roller brush with moisture-proof universal bristles for normal soiling on all surfaces. Extremely durable.	■
Main roller brush, soft/natural				
Reversing rolling mill soft KM 150/500	4	6.987-464.0	Specially designed with polypropylene bristles for fine dust sweeping on smooth floors in both inside and outside areas.	□
Main roller brush, soft/natural	5	6.987-437.0	Specially designed with natural bristles for sweeping fine dust on smooth floors indoors.	□
Main roller brush, hard				
Main sweeper roller, hard	6	6.987-436.0	For removing stubborn dirt outdoors.	□
Main roller brush, antistatic				
Reversing rolling mill antistatic KM 150	7	6.986-000.0		□
KITS				
Fleet mounting kit				
Add-on kit	8	2.644-391.0		□
MOUNTING KITS FOR SWEEPERS AND VACUUM SWEEPERS				
Lighting				
Spotlight blue	9	2.852-802.0	Blue spotlight for the KM Industrial vacuum sweeper from Kärcher. The optical route warning device ensures maximum visibility and safety for people and the machine itself.	□
Spotlight blue - ex works	10	2.852-802.7		□
Work illumination	11	2.852-082.0	For increased visibility, e.g. in underground garages or warehouses.	□
Blinker beacon front and rear - ex works	12	2.852-151.7	For increased work safety on the factory site: road lights consisting of indicators and working lights.	□
Sweeping/Vacuuming				
Holder for NT 22/1 Ap Bp vacuum cleaner	13	2.852-884.0	Holder for industrial sweepers for carrying the NT 22/1 wet and dry vacuum cleaner from Kärcher. Makes it easier to clean corners and gaps in one work step.	□
Side brush cover	14	2.851-287.0	Side brush cover reduces dust dispersion.	□

■ Included in delivery. □ Available accessories.

EQUIPMENT FOR KM 150/500 R D CLASSIC

1.186-134.0



	Order No.	Description	
MOUNTING KITS FOR SWEEPERS AND VACUUM SWEEPERS			
Other mounting kits			
Ram protection	15 2.852-621.0		<input type="checkbox"/>
Add-on kit wet sweep	16 2.852-821.0		<input type="checkbox"/>
Side brushes, left			
Second side brush left	17 2.851-274.0	Side brush, complete, including standard side brush for increasing area performance.	<input type="checkbox"/>
CABS AND PROTECTIVE ROOFS			
Protective roof for operator			
Protective roof	18 2.852-688.0		<input type="checkbox"/>
Protective cabin without glazing	19 2.852-794.0	Robust steel construction. Complies with IEC 60335-2-72.	<input type="checkbox"/>
Weatherproof cab			
Comfort cabin with all-around glazing	20 2.852-797.0	The robust steel construction reliably protects the driver. Glazing on all sides, with a folding rear window and side window on the left.	<input type="checkbox"/>
Protective cabin with windscreen and wiper	21 2.852-795.0	The roof with the windscreen and windscreen wiper protects the driver from falling objects.	<input type="checkbox"/>
TYRES, PUNCTURE-PROOF			
Front/rear tyre solid rubber non-chalking	22 6.435-176.0	Recommended for sweeping metal shavings, glass shards, etc. Avoids tyre marks on light surfaces.	<input type="checkbox"/>

■ Included in delivery. □ Available accessories.