

## NT 30/1 TACT TE M \*AU

The NT 30/1 Tact Te M wet & dry vacuum safely and reliably removes respirable dusts in dust class M, which are frequently incurred in construction sites. M class vacuums are currently strongly recommended by worksite governing bodies for removal of silica dust.



Order No. 1.148-246.0

- Complete antistatic system, incl. conductive accessories
- Socket with automatic start-up for electric tools
- Cooling air filtration

### Technical data

EAN code		4054278508467
Type of current	Phases / Volt / Hertz	1 / 220 - 240 / 50 - 60
Air flow	Litres per second	74
Vacuum	Millibar / Kilopascal	273 / 27.3
Container capacity	Litre	30
Rated input power	Watt	Maximum 1380
Standard nominal width		DN 35
Cable length	Metre	7.5
Sound pressure level	Decibel	69
Weight without accessories	Kilogram	14.2
Weight incl. packaging	Kilogram	18.969
Dimensions (L x W x H)	Millimetre	560 x 370 x 580

### Equipment

Suction hose length	Metre	4
Suction hose type		electrically conductive
Quantity of suction tubes	Unit	2
Suction tubes length	Millimetre	550
Suction tubes material		Stainless steel
Bend		electrically conductive
Quantity of filter bags	Unit	1
Filter bag material		Fleece
Wet/dry floor nozzle width	Millimetre	360
Crevice nozzle		■
Connector for electric tools		■
Power tool autostart		■
Fully antistatic		■
Flat pleated filter		PES
Sturdy bumper		■
Protection class		I
Castor with brake		■
Filter cleaning		Tact - Auto Filter Clean System
Dust class		M
PE-Plastic bag for dust-free disposal	Unit	1

■ included in delivery.



## Fully automatic filter cleaning

- Sensor-controlled electronics for optimal filter cleaning efficiency and therefore maximum suction power.



## Tested filtration efficiency of 99.9 per cent

- The removal of almost all fine dust makes for clean, safe workplaces.



## Complete antistatic system with conductive accessories

## EQUIPMENT FOR NT 30/1 TACT TE M \*AU

### 1.148-246.0



		Order No.	Description	
<b>FLAT PLEATED FILTER, STANDARD, BIA C OR UP TO DUST CLASS M</b>				
<b>Flat pleated filter (PES)</b>				
Flat-pleated filter packaged PES	1	6.907-662.0	Wet & Dry flat pleated filter made from PES fibre material with a blue label. Suitable for vacuuming liquids, fine dust and coarse dirt from the M and L dust classes.	■
<b>Flachfaltenfilter (PTFE)</b>				
Ultimate flat pleated filter	2	6.907-455.0	Ultimate flat pleated filter made from PES/PTFE fibre material with a black label. For the toughest applications when vacuuming liquids, fine dust and coarse dirt from dust classes M and L.	□
<b>BENDS</b>				
<b>Plastic bend</b>				
Elbow complete packaged NW35 2K	3	2.889-168.0	Electrically conductive, ergonomic plastic bend in size DN 35 for wet and dry vacuum cleaners. Equipped with a clip 2.0 connection at the hose end and a cone connection at the accessory end.	■
<b>SUCTION NOZZLES</b>				
<b>All-purpose nozzles (wet/dry)</b>				
Floor tool packaged NW35 360mm	4	2.889-152.0	360 mm wide wet and dry floor nozzle with easy-to-change inserts. Including brush strips and squeegees.	■
<b>Crevice nozzles</b>				
Crevice nozzle wet and dry packaged NW35	5	2.889-159.0	Crevice nozzle with nominal width DN 35 for Kärcher dry vacuum cleaners and wet and dry vacuum cleaners. Length 225 mm.	■
<b>Car cleaning nozzles</b>				
Car nozzle, DN 35, 90 Millimetre	6	6.906-108.0	Flat angled, convenient, plastic, DN 35 car cleaning nozzle designed for all Kärcher wet and dry vacuum cleaners with bends. Working width: Approx. 90 mm.	□
<b>SUCTION TUBES</b>				
<b>Suction tubes stainless steel</b>				
Suction tube, 2 x, NT, DN 35, 550 mm long, stainless steel, suitable for: NT 27/1, NT 30/1 Tact, NT 40/1 Ap, NT 48/1, NT 50/1 Tact	7	2.889-192.0	The suction tube set consists of 2 suction tubes made of high-quality stainless steel (DN 35 and 550 mm long each). For Kärcher wet and dry vacuum cleaners.	■
<b>SUCTION HOSES</b>				
<b>Suction hoses with clip system 2.0 (compatible with vacuum cleaners from model year 2017 on)</b>				
Hose electrically conducting packaged NW	8	2.889-137.0	The electrically conductive suction hose in nominal width DN 35 and with 4 m length is suitable for use with wet and dry vacuum cleaners from Kärcher.	■
Hose packaged NW35 4.0m	9	2.889-135.0	The suction hose in nominal width DN 35 and with 4 m length is suitable for use with wet and dry vacuum cleaners from Kärcher.	□
Hose electrically conducting packaged NW	10	2.889-136.0	The electrically conductive suction hose in nominal width DN 35 and with 2.5 m length is suitable for use with wet and dry vacuum cleaners.	□
Extension hose	11	2.889-145.0	The extension hose in nominal width DN 35 and with 2.5 m length is suitable for use with wet and dry vacuum cleaners and dry vacuum cleaners from Kärcher.	□
<b>CONNECTING SLEEVES</b>				
<b>Adapter for electric power tools, clip on, el.</b>				
Sleeve electrically conducting packaged	12	2.889-151.0	Tool adaptor with a rubber fixture and airflow control slide for the new clip system. Suitable for all current electric tools.	■
<b>FILTER BAGS</b>				
<b>Fleece filter bags</b>				
Fleece filter bags, 5 Unit, NT 30/1	13	2.889-154.0	Fleece filter bag with 30-litre volume. Tear-resistant, dust class M, for suction hose port in machine head.	□
NT TACT VAC VACUUM FILTER BAGS - 5 PACK, 5 Unit, NT 30/1	14	9.505-368.0	Tear-resistant 3-layer fleece filter bags for M & L Class dust, suitable for Kärcher Professional NT 30/1 Wet and Dry vacuum cleaners. Contains 5 bags.	□

■ Included in delivery. □ Available accessories.

EQUIPMENT FOR NT 30/1 TACT TE M \*AU  
1.148-246.0



		Order No.	Description	
FILTER T/ NT				
Plastic sacks for dust-free disposal				
Plastic bag for dust-free disposal, 10 Unit, NT 30/1, NT 40/1, NT 50/1	15	2.889-158.0	PE plastic sack for dust-free disposal.	<input type="checkbox"/>
Membrane filter / fabric filter				
Candle filter Wood, NT 30/1, NT 40/1, NT 50/1	16	2.414-000.0	Wood cartridge filter made from textile material with PTFE coating and a brown label. For safely vacuuming large quantities of wood and fibre dust from dust classes M and L.	<input type="checkbox"/>
OTHER ACCESSORIES FOR T AND NT				
Drilling dust tool	17	2.679-000.0	Drilling dust nozzle for dust-free vacuuming of boreholes. Suitable for dry and wet and dry vacuum cleaners from Kärcher.	<input type="checkbox"/>

■ Included in delivery.    □ Available accessories.