

HD TRAILER GASOLINE

For independent, long high-pressure cleaning applications on construction sites and in municipalities: preconfigured, mobile HD trailer HD 9/23 Ge Tr1 with 1000 litre water tank and Honda petrol engine.



Order No. 0.300-420.0

Technical data			
EAN code		4054278600697	
Flow rate	Litres per hour	400 – 930	
Inlet temperature	Celsius	60	
Working pressure	Bar / Mega pascal	40 – 230 / 4 – 23	
Engine manufacturer		Honda	
Engine type		GX 390	
Weight (with accessories)	Kilogram	548.914	
Dimensions (L × W × H)	Millimetre	3402 × 1496 × 1435	

Scope of supply	
Spray gun: EASY!Force Advanced	
High-pressure hose length: 30 Metre	
High-pressure hose type: Premium quality	
High-pressure hose specification: DN 8, 315 bar	
Spray lance: 1050 Millimetre	
Servo Control	
Power nozzle	
Dirt blaster	

Equipment	
Detergent function: Suction	

This machine requires instruction.



Independent of an external power or water supply

- 1000 litre water tank for at least one hour of work at full power.
- Integrated trailer concept for high mobility and maximum independence.
- Can be used independently of a power supply thanks to powerful gasoline engines.



Easy and convenient operation

- Very simple operation, thus designed for use in rental parks.
- Convenient equipment with motor electro start and optional hose reel.
- Storage compartment in the rear section for storing fuel canister and accessories.




Preconfigured trailer version

- Ex works with dampers, hose reel, crane hooks and premium accessories package.
- With front guard plate, tarpaulin, hour meter and fuel canister (20 l).

EQUIPMENT FOR HD TRAILER GASOLINE

0.300-420.0



		Order No.	Description	
TRIGGER GUNS				
Trigger guns				
EASY!Force Advanced	1	4.118-005.0	Effortless, not energy-sapping: the EASY!Force high-pressure gun uses the recoil force of the high-pressure jet to reduce the holding force for the operator to zero.	■
Servo Control				
Servo Control, 750 Litres per hour – 1100 Litres per hour	2	4.118-008.0	Water quantity and pressure regulated directly from the hand spray gun.	■
SPRAY LANCES				
Rotating spray lances				
Spray lance, 1050 Millimetre, rotatable	3	4.112-000.0	1050 mm stainless steel lance (manual coupling) with ergonomic handle for ease of use and protection. Rotatable 360° under pressure.	■
KÄRCHER POWER NOZZLE				
Power nozzle spray angle 25°				
Power nozzle 25Degrees, 050	4	2.113-023.0	Fan jet nozzle with 25° spray angle, suitable for large areas and removing stubborn dirt and stains.	■
HP nozzle spray angle 0°				
Power nozzle 0Degrees, 050	5	2.113-034.0	High-pressure nozzle with powerful jet for extremely stubborn dirt.	□
Power nozzle spray angle 40°				
Power nozzle 40Degrees, 050	6	2.113-054.0	Power nozzle with a 40° spray angle and fan jet, suitable for large areas and sensitive surfaces.	□
HIGH-PRESSURE HOSES				
Standard with unions on both sides				
High-pressure hose, 15 Metre, DN 8, 315 Bar, 2 x EASY!Lock	7	6.110-030.0	15 m long high-pressure hose, DN 8, with ANTI!Twist and time-saving EASY!Lock manual screw fitting on both sides.	■
ECOBOOSTER				
ecoBooster TR 050	8	2.113-088.0	ecoBooster with 50% higher area performance than the Kärcher power nozzle ¹⁾ ; ideal for delicate surfaces. For cold and hot water high-pressure cleaners (nozzle size 050).	□
EcoBooster MAX TR 050	9	2.113-097.0		□
QUICK CONNECT				
Quick coupling	10	2.115-000.0	For fast changes between different spray lances/accessories. Perfect for Kärcher spray unit, suitable for trigger gun/spray lance interface. With M 22 x 1.5 internal thread.	□
Male coupling	11	2.115-001.0	Hardened stainless steel male coupling for quick coupling 2.115-000. With M 22 x 1.5 external thread.	□
DRUM AND TANK CLEANING				
Add-on kit mud sucker	12	2.641-798.0	For connection to the high-pressure hose of Kärcher high-pressure cleaners: Powerful sludge suction cleaner for the retrofitting of high-pressure cleaners to dirt pumps.	□
SEALS FOR TRAPEZOIDAL THREAD				
Gasket set with 9x O-rings for TR thread	13	2.880-001.0		□
FLOOR AND HARD SURFACE CLEANER				
Hard Surface Cleaner FRV 30				
FRV 30 Surface Cleaner	14	2.111-010.0	With the integrated, automatic suction of the dirty water, the FRV 30 makes surface cleaning even more efficient and can be used in both inside and outside areas. There is no longer a need to rinse the surface after cleaning, since the dirty water can be discharged through the 5 m suction hose supplied. Additional quality features are the non-marking steering rollers and double ceramic bearing. Machine-specific nozzle kit must be ordered separately. Max. 250 bar / 1000 l/h / 60°C.	□

■ Included in delivery. □ Available accessories.

EQUIPMENT FOR HD TRAILER GASOLINE 0.300-420.0



		Order No.	Description	
FLOOR AND HARD SURFACE CLEANER				
Hard surface cleaner FR 30 ME				
FR 30 ME surface cleaner	15	2.111-013.0	Hot water resistant stainless steel surface cleaner with double ceramic bearings, non-marking swivel castors and suction hose connection. Ideal for indoor cleaning, e.g. food industry.	☐
Hard Surface Cleaner FR 50				
Surface Cleaner FR 50 Me	16	2.111-023.0	Hot water resistant stainless steel surface cleaner with 500 mm working width. Ideal for large areas. With double ceramic bearings, push handle, non-marking swivel castors and detergent dosing system.	☐
Machine-specific nozzle kit for FR				
Nozzle kit for FR, 850 Litres per hour - 1100 Litres per hour	17	2.640-442.0	Nozzle kit includes power nozzles and unions. For Kärcher surface cleaners (850 to 1100 l/h).	☐
FRV 30 Me surface cleaner				
FRV 30 ME	18	2.111-012.0	Thanks to automatic suction of the dirty water, the stainless steel FRV 30 Me Surface Cleaner makes surface cleaning more efficient in both inside and outside areas. Hot water cleaning up to 85°C.	☐
DRUM AND TANK CLEANING				
Barrel and tank cleaning				
Spray head HKF 30/14-E	19	6.751-061.0	Compact interior cleaning head made of stainless steel for cleaning the interiors of drums and containers with openings of 65 mm or more. Offers an impressively low weight and constant rotation speed by means of an electric motor.	☐
ADD ON KITS				
Retro-fit HD-Trailer				
Attachment kit for flashing beacon	20	2.772-076.0	Prominent flashing beacon for better visibility. For retrofitting HD trailers from Kärcher.	☐
Add-on kit ram protection	21	2.772-077.0	Very robust impact protection for retrofitting HD trailers from Kärcher.	☐

☐ Available accessories.